


# BALLASTPOMP TYPE PTD H200-4,5-8


- Capaciteit 400 m<sup>3</sup> / uur
- Standaard afstandbediening te gebruiken in het ruim
- Optioneel bediening vanuit de stuurhut
- Hoge aanzuigcapaciteit, ook als het ruim bijna leeg is, door lage inbouw onder ruimvloer
- Handbediend of elektrische vlinderklep
- Vuilrooster in het vlak
- Inbouwhoogte pijp onder spanthoogte 300mm





|                |   |   |   |  |
|----------------|---|---|---|--|
|                | Grevelingenweg 23<br>3313 LB Dordrecht<br>The Netherlands | Email: info@degrootmarine.com<br>Phone: +31-3039700<br>Website: www.degrootmarine.com | Execution class:<br>N/A                                     | Dimensions tolerances:<br>According ISO 2768-1   |
|                | 3rd angle projection<br>                                  | Overall scale: 1:8<br>Dimension unit: mm<br>Layout format: A3                         | Signed by: J.Ippel 23-11-22<br>Approved by:<br>Approved by: | Rev. A By: Jlp Date: 23-11-22<br>Revision comment:<br>First issues   |
| General notes: |   |   |   | Drawing status: Only for information<br>Project: _____ Drawingnr.: 35745-001<br>Vesel: _____ Drawingsht.: 1 of 3 |

# BALLASTPOMP TYPE PTD H200-4,5-8


- Capacity 400 m<sup>3</sup> / hour
- Standard remote control to be used in the hold
- Optional control from the wheelhouse
- High suction capacity, even when the hold is almost empty, due to low installation under the hold floor
- Manual or electric butterfly valve
- Dirt grille in the bottom suctionbox
- Pipe installation height under truss height 300mm





|  |   |   |   |  |
|--|---|---|---|--|
| <br>DIESEL MARINE SERVICES<br><b>DE GROOT</b> | Grevelingenweg 23<br>3313 LB Dordrecht<br>The Netherlands   | Email: info@degrootmarine.com<br>Phone: +31-3039700<br>Website: www.degrootmarine.com | Execution class:<br>N/A                                     | Dimensions tolerances:<br>According ISO 2768-1   |
|  | 3rd angle projection<br> | Overall scale: 1:8<br>Dimension unit: mm<br>Layout format: A3                         | Signed by: J.Ippel 23-11-22<br>Approved by:<br>Approved by: | Rev. A By: Jlp Date: 23-11-22<br>Revision comment:<br>First issues                                   |
| General notes:   |   |   |   | Drawing status: Only for information<br>Project: Drawingnr.: 35745-001<br>Vesel: Drawingsht.: 2 of 4 |

# BALLASTPOMP TYPE PTD H200-4,5-8


- Kapazität 400 m<sup>3</sup> / Stunde
- Standardfernbedienung zur Verwendung im Laderaum
- Optionale Bedienung vom Steuerhaus aus
- Hohe Saugleistung, auch bei fast leerem Laderaum, durch niedrigen Einbau unter dem Laderaumboden
- Manuelle oder elektrische Absperrklappe
- Schmutzgitter in der Oberfläche
- Rohreinbauhöhe unter der Traversenhöhe 300 mm





|  |   |   |   |  |
|--|---|---|---|--|
| <br>DIESEL MARINE SERVICES<br><b>DE GROOT</b> | Grevelingenweg 23<br>3313 LB Dordrecht<br>The Netherlands   | Email: info@degrootmarine.com<br>Phone: +31-3039700<br>Website: www.degrootmarine.com | Execution class:<br>N/A                                     | Dimensions tolerances:<br>According ISO 2768-1   |
|  | 3rd angle projection<br> | Overall scale: 1:8<br>Dimension unit: mm<br>Layout format: A3                         | Signed by: J.Ippel 23-11-22<br>Approved by:<br>Approved by: | Rev. A By: Jlp Date: 23-11-22<br>Revision comment:<br>First issues                                   |
| General notes:   |   |   |   | Drawing status: Only for information<br>Project: Drawingnr.: 357454001<br>Vesel: Drawingsht.: 3 of 4 |

# BALLASTPOMP TYPE PTD H200-4,5-8

- Capacité 400 m<sup>3</sup> / heure
- Télécommande standard à utiliser en soute
- Commande optionnelle depuis la timonerie
- Grande capacité d'aspiration, même lorsque la cale est presque vide, en raison de l'installation faible sous le plancher de soute
- Vanne papillon manuelle ou électrique
- Grille anti-poussière en surface
- Hauteur d'installation du tuyau sous la hauteur de la ferme 300 mm



|  |   |   |   |  |
|--|---|---|---|--|
| <br>DIESEL MARINE SERVICES<br><b>DE GROOT</b> | Grevelingenweg 23<br>3313 LB Dordrecht<br>The Netherlands   | Email: info@degrootmarine.com<br>Phone: +31-3039700<br>Website: www.degrootmarine.com | Execution class:<br>N/A                                     | Dimensions tolerances:<br>According ISO 2768-1   |
|  | 3rd angle projection<br> | Overall scale: 1:8<br>Dimension unit: mm<br>Layout format: A3                         | Signed by: J.Ippel 23-11-22<br>Approved by:<br>Approved by: | Rev. A By: Jlp Date: 23-11-22<br>Revision comment:<br>First issues   |
| General notes:   |   |   |   | Drawing status: Only for information<br>Project: _____ Drawingnr.: 35745-001<br>Vesel: _____ Drawingsht.: 4 of 4 |